



WHEEL WEIGHT GUIDE

STYLE	SIZE	PCD	(MM)	W (KG)
		4	40	6.39
	15 x 6.5			
			40	8.11
		4	48	7.75
ATTACK	17 x 7.5	5	48	7.88
		4	40	6.07
	15 x 6.5	8	40	5.88
AUTO-X	16 x 7.0	8	40	7.11
			35	6.24
			40	6.05
		4	45	6.27
		5		
			40	6.29
	15 x 6.5	8		
	15 x 7.5	5		
			40	6.91
		4	45	6.81
		5	45	7.13
	16 x 7.0	8	40 / 42	7.34
			45	8.27
		4		
			38	8.8
			45	8.41
CIRCUIT 10	17 x 7.5	5		
		4		
			38	5.93
			40	5.63
	15 x 6.5	8		
		4		
	16 x 7.0	8	40	7.45
CIRCUIT 8	17 x 7.5	4		
	16 x 7.0	4	38	

	16 x 7.0	4	40	6.73
	16 x 7.0	4	45	6.82
	16 x 7.0	5	38	
	16 x 7.0	5	40	
	16 x 7.0	5	45	
	17 x 7.5	4	45	8.27
	17 x 7.5	5	45	7.95
CIRCUIT 10		4	40	9.02
		5		
		8	40	8.95
DRIFT	17 x 7.0	10		
	20 x 8.5	6		
		5		
		5	15	14.4
EXTREME	20 x 9.5	6	15	14.56
		4	40	6.17
	15 x 6.5	8	40	5.6
		8	40	6.3
FIGHTER	16 x 7.0	10		
		4	40	6.77
			35	6.83
FLIGHT	15 x 6.5	8	38/40	
	15 x 6.5			
	17 x 7.5	5	48	9.04
FORMEL				
			38	10.04
			45	10.11
		5	48	9.92
FORMULA	18 x 8.0			
		4	45	8.25
			45	8.15
			48	8.13
	17 x 7.5	5		
		4		
			35	9.14
	17 x 8.0	5	48	8.86
	18 x 8.5	5	48	9.84
G-FORCE	18 x 9.0	5	30	10.49
	15 x 5.0	4		
			38/40	7.14
		4		
			38	5.99

		4	40	8.36
	16 x 7.0	5	40	8.19
			45	9.54
	17 x 7.5	5		
J-MAG	17 x 8.5	5		
			35	5.83
			37	5.91
		4	38/40	5.89
	15 x 6.5			
	15 x 7.0			
		4	38/40	6.99
J-SPL	16 x 7.0	5		
		4	45	8.78
	18 x 7.5	5	45	8.63
			30	8.99
			40	8.65
	18 x 8.0	5	48	8.71
P1 MODELS	18 x 8.5	5	45	8.76
		4		
		4	45	8.37
	17 x 7.5	5	45	8.63
		4	48	9.79
			25	10.34
			42	9.7
			45	9.22
	18 x 8.0	5		
			25	10.48
			30	10.25
			35	10.1
	18 x 8.5	5	48	9.71
			30	10.4
P-45F	18 x 9.5	5		
			25	9.99
			30	9.81
	17 x 9.0	5	55	9.62
		4		
		5	12	9.92
	17 x 9.5	5	30	9.92
	18 x 8.5	5	30	10.12
			20	10.93

		4		
			10	10.27
			38	9.79
	17 x 7.5	5		
			10	11.22
			35/36	11.1
			45	10.94
	18 x 8.0	5		
QUAKE	19 x 8.0	5		
		4		
			10	8.8
		5		
	16 x 8.0	6	10	9.03
RANGER	17 x 8.0	6		
	16 x 7.0	4	4	7.56
			4	7.51
	16 x 8.0	4		
RB REAR MODELS	17 x 8.5	4	4	9.26
	15 x 6.5	4	40	5.88
		4	45	7.58
REAL LITE	17 x 7.5	5	45	7.54
REALITE OFFROAD	18 x 8.0	6	20	10.61
	13 x 5.0	5		
		4		
	17 x 7.5	5	35	9.72
		4		

REV	17 x 8.0	5	48	8.14
			35	13.59
SABINA	19 x 8.5	5	42	13.38
	17 x 7.0	5	48	8.17
		4		
			48	8.2
SDR	17 x 7.5	5		
		4	45	7.99
			35	8.02
			45	8
			48	7.77
SDX	17 x 7.5	5		
	13 x 5.0	5		
			7	5.97
			40	5.46
		4	45	5.44
	15 x 6.5			
			28	6.41
			35	5.61
			40	5.79
		4		
			40	5.88
	15 x 7.0	5		
			20	6.25
			40	6.69
		4	45	6.53
			40	6.47
			45	6.38
	16 x 7.0	5		
			20	6.16
			40	6.03
		4		
	15 x 7.5	5		
			45	8.21

	4			
17 x 7.5	5	48	9.17	
		20	6.74	
	4	40	6.54	
15 x 8.0	5	40	6.42	
16 x 6.5	4	45	5.86	
		12	7.9	
		34	7.81	
	4			
16 x 8.0	5	48	7.5	
	4			
17 x 8.0	5	48	9.26	
		35	9.75	
SLIPSTREAM	17 x 8.5	5	48	8.78
	15 x 6.0	4		
			38/40	5.94
	4			
15 x 6.5	5			
	4			
16 x 6.5	5			
			40/42	6.63
	4			
16 x 7.0	5			
	4			
17 x 7.0	5			

		4	45	7.81
	17 x 7.5	5	48	7.74
		4		
SUBZERO	18 x 7.5	5	48	8.21
		4	45	8.41
	17 x 7.5	5	45	8.48
			35	8.54
	17 x 8.0	5	48	8.48
	18 x 8.0	5	48	9.09
	18 x 8.5	5	48	9.49
			30	10.09
			35	9.97
SVN MODELS	18 x 9.0	5		
	17 x 7.5	5		
		4	45	8.94
			45	8.89
	18 x 7.5	5	48	8.82
			35	9.23
TARMAC3	18 x 8.0	5	48	9.16
	18 x 7.5	5		
TOKYO	18 x 8.0	5		
		4		
	13 x 5.0	5		
		4		
	15 x 6.5	5		
			40	7.63
		4		
	16 x 7.0	5		
		4	45	8.1
			45	8.2
	17 x 7.5	5	48	8.25

			35	8.95
	17 x 8.0	5	48	8.57
			35	9.52
	18 x 8.0	5	48	9.47
			25	9.98
			30	9.84
	18 x 8.5	5		
			30	9.14
		5	35	9.07
	17 x 9.0			
			12	9.45
			30	9.27
	17 x 9.5	5	35	9.14
	18 x 9.0	5		
			12	10.42
			20	10.29
			30/32	10.03
	18 x 9.5	5	35	9.73
TORQUE	19 x 8.5	5	12	10.52
	17 x 7.5	8	45	8.46
TOXXIN	17 x 8.5			
	15 x 7.0	4	40	7.22
		4	40	7.83
TRACK R2	16 x 7.0			
	15 x 7.5	5		
		4		
			38	8.45
VORTEX	17 x 7.5	5		
			45	7.85
VXR	17 x 7.5	5		

	17 x 7.5	5		
			35	12
WISHBONE	18 x 7.5	5	45	10.63
			25	
	19 x 8.5	5		
			25	
Z2S 19	19 x 9.5	5		

Actual wheel weight may vary due to color, offset, bolt pattern or design change

This table gives an approximate weight guide and only be used for reference as a general guide